



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
CAT	2DX30GS	3/4			3450	2000	3.1	Yes	4.5	8.5	140
CAT	2DX27GS	3/4			3450	2000	2.7	Yes	4.5	8.5	140
CAT	2SFX25GZ	3/4			3450	2500	2.5	Yes	3	11.8	160
CAT	2SFX30GS	3/4			3450	2000	3	Yes	4	11.8	160
CAT	2SFX30GZ	3/4			3450	2500	3	Yes	4	11.8	160
CAT	2SFX35GS	3/4			3450	2000	3.5	Yes	5	11.8	160
CAT	3DX25GSI	3/4			3450	2500	2.5	Yes	3	11.8	140
CAT	3DX30GSI	3/4			3450	2500	3	Yes	4	8.5	140
CAT	3SP35GEI	3/4			3450	2500	3.5	Yes	4.50	10.15	140
CAT	3SP30G1I	1			3400	3000	3	Yes	3.50	10.15	140
CAT	4SF35GS1	1			3200	3500	3.5	Yes	3.50	23.66	160
CAT	4SF40GS1	1			3200	3500	4	Yes	4.50	23.66	160
CAT	4SF45GS1	1			3200	3000	4.5	Yes	5	23.66	160
CAT	4SF50GS1	1			3200	3000	5	Yes	6	23.66	160
CAT	66DX30G1I	1			3400	4000	3		3	18	140
CAT	66DX35G1I	1			3400	4000	3.5		3.5	18	140
CAT	66DX40G1I	1			3400	4000	4		4	18	140
CAT	2DX20ES		5/8 56C		3450	2000	2	Yes	3	11.8	140
CAT	2SFX22ES		5/8 56C		3450	2000	2.2	Yes	3	11.8	160
CAT	2SFX30ES		5/8 56C		3450	2000	3	Yes	4	11.8	160
CAT	4SF40ELS		1-1/8 184TC		1725	3500	4	Yes	4.5	23.66	160
CAT	4SF50ELS		1-1/8 184TC		1725	3000	5	Yes	6	23.66	160
CAT	3CP1120			16.5MM	1725	2200	4.2		5.5	11.8	160
CAT	3CP1130			16.5MM	1725	2200	2.4		3	11.8	160
CAT	3CP1140			16.5MM	1725	2200	3.6		5	11.8	160
CAT	5CP3120			20MM	1645	3500	4.5		5	17	160
CAT	5CP5120			20MM	1415	3500	4.5		5	17	160
CAT	5CP6120			20MM	1400	1600	6		9.5	17	160
CAT	31			20MM	950	2200	4		5.5	18	160
CAT	34			20MM	1725	1800	4		6	18	160
CAT	45			20MM	1645	3500	4.5		5	18	160
CAT	55			24MM	1450	3000	5		6	25	160
CAT	56			24MM	1210	3500	5.5		6	25	160
CAT	57			24MM	1285	4000	4.5		4.5	25	160
CAT	70			24MM	1700	5000	4.5		4	25	160
CAT	660			30MM	1429	3000	10		11.5	42	160
CAT	1050			30MM	958	2200	10		13.5	42	160



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
AR	XTV2G15DBA-F7	3/4			3400	1500	2.11		3.5	8	140
AR	XTV2G22D-F7	3/4			3400	2200	2.11		3	10	140
AR	XTV3G16D-F7	3/4			3400	1600	3		4.5	8	140
AR	XTV3G22D-F7	3/4			3400	2200	3		4	10	140
AR	XMV3G25D-F25	3/4			3400	2500	3		4	14.6	140
AR	XMV3G27D-F25	3/4			3400	2700	3		3.5	14.6	140
AR	XMV3.5G25D-F25	3/4			3400	2500	3.5		4.5	14.6	140
AR	XMV3G30D-F24	1			3400	3000	3		3.5	14.6	140
AR	XMV3.5G25D-F24	1			3400	2500	3.5		4.5	14.6	140
AR	XMV3.5G30D-F24	1			3400	3000	3.5		4	14.6	140
AR	XMV4G30D-F24	1			3400	3000	4		4.5	14.6	140
AR	XMV4G32D-F24	1			3400	3200	4		4.5	14.6	140
AR	RKV3.5G30AD-F24	1			3400	3000	3.5		4	15	140
AR	RKV3.5G35D-F24	1			3400	3500	3.5		3.5	15	140
AR	RKV4G30AD-F24	1			3400	3000	4		4.5	15	140
AR	RKV4G35D-F24	1			3400	3500	4		4.5	15	140
AR	RKV4G35HD-F24	1			3400	3500	4		4.5	15	140
AR	RKV4.5G40HD-F24	1			3400	4000	4.5		4.5	15	140
AR	RKV5G40HD-F24	1			3400	4000	5		5	15	140
AR	RKV5.5G40HD-F24	1			3400	4000	5.5		5.5	15	140
AR	XTA2G15EBA-F8		5/8 56C		1750	1800	2.11		3	10	140
AR	XTA2G22E-F8		5/8 56C		1750	2200	2.11		3	10	140
AR	XTA3G16EBA-F8		5/8 56C		1750	1600	3		4.5	10	140
AR	XTA3G19E-F8		5/8 56C		1750	1900	3		4.5	10	140
AR	XTA3G22E-F8		5/8 56C		1750	2200	3		4	10	140
AR	XTA4G15EBA-F8		5/8 56C		1750	1500	4		6.5	10	140
AR	XMA2G15E-F33		5/8 56C		1750	1500	2.11		3.5	14.5	140
AR	XMA2G22E-F33		5/8 56C		1750	2200	2.11		3	14.5	140
AR	XMA2.5G18E-F33		5/8 56C		1750	1800	2.5		3.5	14.5	140
AR	XMA3G18E-F33		5/8 56C		1750	1800	3		4.5	14.5	140
AR	XTV2G15EBA-F8		5/8 56C		3450	1500	2.11		3.5	8	140
AR	XTV2G22E-F8		5/8 56C		3450	2200	2.11		3	10	140
AR	XTV3G16E-F8		5/8 56C		3450	1600	3		4.5	8	140
AR	XTV3G22E-F8		5/8 56C		3450	2200	3		4	10	140
AR	XMV2G25E-F33		5/8 56C		3450	2500	2.11		2.5	14.6	140
AR	XJV2G15E-F8		5/8 56C		3450	1450	2	Yes	3.5	4.5	140
AR	XMA3G25E-F17		1-1/8 182-184		1750	2500	3		4	14.5	140
AR	XMA3G30E-F17		1-1/8 182-184		1750	3000	3		3.5	14.5	140
AR	XMA3.5G25E-F17		1-1/8 182-184		1750	2500	3.5		4.5	14.5	140
AR	RKA3.5G30E-F17		1-1/8 182-184		1750	3000	3.5		4	15	140
AR	RKA3.5G40HE-F17		1-1/8 182-184		1750	4000	3.5		3.5	15	140
AR	RKA4G20E-F17		1-1/8 182-184		1750	2000	4		5.5	15	140
AR	RKA4G30E-F17		1-1/8 182-184		1750	3000	4		4.5	15	140
AR	RKA5.5G13E-F17		1-1/8 182-184		1750	1300	5.5		9.5	15	140
AR	RKA7G20HE-F17		1-1/8 182-184		1750	2000	7.1		10	15	140



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
AR	XT8.14N			24MM	1450	2000	2.11		3	10	140
AR	XT9.14N			24MM	1450	2000	2.37		3.5	10	140
AR	XM11.17N			24MM	1450	2500	2.9		3.5	14.5	140
AR	RK15.28HN			24MM	1450	4000	3.96		4	15	140
AR	XW15.15			24MM	1450	2200	3.96		5.5	32	140
AR	XW15.20			24MM	1450	2900	3.96		4.5	32	140
AR	XW15.30			24MM	1450	4350	3.96		4	32	140
AR	XW21.20			24MM	1450	2900	5.55		7.6	32	140
AR	XW21.28			24MM	1450	4060	5.55		5.5	32	140
AR	XW26.12			24MM	1450	2200	6.87		9.5	32	140
AR	XW26.20			24MM	1450	2900	6.87		8	32	140
AR	XW26.23			24MM	1450	3400	6.87		7.5	32	140
AR	XW30.10			24MM	1450	1450	7.92		13	32	140
AR	XW30.15			24MM	1450	2200	7.92		10.5	32	140
AR	XW30.20			24MM	1450	2900	7.92		9.5	32	140
AR	XW30.25			24MM	1450	3600	7.92		8.5	32	140
AR	SXW15.35			24MM	1450	5100	3.96		3.5	32	140
AR	SXW21.35			24MM	1450	5100	5.55		5	32	140
AR	XTA2G15NBA			24MM	1750	2000	2.11		3	10	140
AR	XTA2G22N			24MM	1750	2200	2.11		3	10	140
AR	XTA3G16N			24MM	1750	1600	3		4.5	8	140
AR	XTA3G19N			24MM	1750	1900	3		4.5	10	140
AR	XTA3G22N			24MM	1750	2200	3		4	10	140
AR	XMA3G25N			24MM	1750	2500	3		4	14.5	140
AR	XMA3.5G25N			24MM	1750	2500	3.5		4.5	14.5	140
AR	XMA4G20N			24MM	1750	2000	4		5.5	14.5	140
AR	RKA3.5G25N			24MM	1750	2500	3.5		4.5	15	140
AR	RKA3.5G30N			24MM	1750	3000	3.5		4	15	140
AR	RKA4G20N			24MM	1750	2000	4		5.5	15	140
AR	RKA4G30N			24MM	1750	3000	4		4.5	15	140
AR	RKA4G35N			24MM	1750	3500	4		4.5	15	140
AR	RKA4G35NL			24MM	1750	3500	4		4.5	15	140
AR	RKA4G40HN			24MM	1750	4000	4		4	15	140
AR	RKA4.5G35HN			24MM	1750	3500	4.5		5	15	140
AR	RKA5.5G30HN			24MM	1750	3000	5.5		6.5	15	140
AR	RKA7G20HN			24MM	1750	2000	2.7		4	15	140
AR	XWA4G20N			24MM	1750	2000	4		5.5	32	140
AR	XWA4G30N			24MM	1750	3000	4		4.5	32	140
AR	XWA4G40N			24MM	1750	4000	4		4	32	140
AR	XWA5.5G22N			24MM	1750	2200	5.5		7.5	32	140
AR	XWA5.5G40N			24MM	1750	4000	5.5		5.5	32	140
AR	XWA7G22N			24MM	1750	2200	7		9.5	32	140
AR	XWA7G32N			24MM	1750	3200	7		8	32	140
AR	XWA7G35N			24MM	1750	3500	7		7.5	32	140
AR	XWA7G40N			24MM	1750	4000	7		7	32	140
AR	XWA8G19N			24MM	1750	1900	8		11.5	32	140
AR	XWA8G29N			24MM	1750	2900	8		9.5	32	140



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
GP	TT9061GBF	3/4			3400	1500	2.11		3.5	11.2	165
GP	TT2028GBF	3/4			3400	2000	2.8		4	11.2	165
GP	TT9071GBF	3/4			3400	1500	2.8		4.5	11.2	165
GP	TT2035GBF	3/4			3400	2000	3.5		5	11.2	165
GP	TT1540GBF	3/4			3400	1500	4		6.5	11.2	165
GP	TP2530J34	3/4			3400	2500	1.9		2.5	11.2	165
GP	TP2526J34	3/4			3400	2500	2.6		3.5	11.2	165
GP	TP2530J34	3/4			3400	2500	2.88		3.5	11.2	165
GP	TP2533J34	3/4			3400	2500	3.3		4	11.2	165
GP	TP2520J34UIL	3/4			3400	2500	1.9	Yes	2.5	11.2	165
GP	TP2526J34UIL	3/4			3400	2700	2.6	Yes	3	11.2	165
GP	TP2533J34UIL	3/4			3400	2500	3.3	Yes	4	11.2	165
GP	TC1506G	3/4			3400	2700	2.6		3	11.8	165
GP	TC1507G	3/4			3400	2700	3		3.5	11.8	165
GP	TC1508G	3/4			3400	2500	3.3		3	11.8	165
GP	TC1509G	3/4			3400	2500	4		5	11.8	165
GP	TX1505G6	3/4			3400	3000	2		2.5	14	165
GP	TX1506G6	3/4			3400	3000	2.6		3	14	165
GP	TX1508G6	3/4			3400	3000	3		3.5	14	165
GP	TX1506G8	1			3400	3000	2.6		3	14	165
GP	TX1508G8	1			3400	3000	3		3.5	14	165
GP	TX1509G8	1			3400	3000	4		4.5	14	165
GP	TX1510G8	1			3400	3000	4		4.5	14	165
GP	TX1506G8UI	1			3400	3000	2.6	Yes	3	14	165
GP	TX1508G8UI	1			3400	3000	3	Yes	3.5	14	165
GP	TX1509G8UI	1			3400	3000	3.5	Yes	4	14	165
GP	TX1510G8UI	1			3400	3000	4	Yes	4.5	14	165
GP	EZ3030G34	1			3400	3200	3		3.5	14	165
GP	EZ3035G	1			3400	3000	3.5		4	14	165
GP	EZ3040G	1			3400	3000	4		4.5	14	165
GP	EZ3045G	1			3400	3000	4.6		5.5	14	165
GP	EZ4030G34	1			3400	4000	3		3	14	165
GP	EZ4035G34	1			3400	4000	3.5		3.5	14	165
GP	EZ4040G	1			3400	4000	4		4	14	165
GP	T9711EBF		5/8 56C		1750	1500	1.7		3	10.1	165
GP	T9721EBF		5/8 56C		1750	1500	2.11		3.5	10.1	165
GP	T9731EBF		5/8 56C		1750	1500	2.85		4.5	10.1	165
GP	TT2021EBF		5/8 56C		3400	2000	2.1		3	11.2	165
GP	T9051EBF		5/8 56C		1750	1500	2.11		3.5	11.2	165
GP	TT9061EBF		5/8 56C		3400	1500	2.11		3.5	11.2	165
GP	TT2028EBF		5/8 56C		3400	2000	2.8		4	11.2	165
GP	TT9061EBFU		5/8 56C		3400	1500	2.11		3.5	11.2	165
GP	TT9071EBFU		5/8 56C		3400	1500	2.8		4.5	11.2	165



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
GP	TX1510E349		1-1/8 184TC		1750	3000	2.1		2.5	14	165
GP	TX1512E179		1-1/8 184TC		1750	3000	2.6		3	14	165
GP	TX1810E179		1-1/8 184TC		1750	2000	3.2		4.5	14	165
GP	TX1812E179		1-1/8 184TC		1750	2000	3.8		5.5	14	165
GP	EZ2536E		1-1/8 184TC		1750	2500	3.6		4.5	14	165
GP	EZ2542E		1-1/8 184TC		1750	2500	4.2		5.5	14	165
GP	EZ2545E		1-1/8 184TC		3400	2500	4.6		6	14	165
GP	EZ2555E		1-1/8 184TC		3400	2500	5.5		7	14	165
GP	EZ4035E34		1-1/8 184TC		3400	3400	3.6		4	14	165
GP	EZ4040E34		1-1/8 184TC		3400	4000	4		4	14	165
GP	T9721B			24MM	1750	1000	2.1		4	10.1	165
GP	T721B			24MM	1450	1200	2.2		4	10.1	165
GP	T9731B			24MM	1750	1000	2.85		5.5	10.1	165
GP	T731B			24MM	1450	1200	3		5.5	10.1	165
GP	T731B			24MM	1750	1000	3.5		7	10.1	165
GP	TT901			24MM	2800	1500	2.11		3.5	11.2	165
GP	TT951			24MM	2800	1500	2.5		4	11.2	165
GP	TT931			24MM	2800	1500	2.9		4.5	11.2	165
GP	TT9111			24MM	1750	1500	3		5	11.2	165
GP	TT941			24MM	2800	1500	3.43		5.5	11.2	165
GP	TC1509S17			24MM	1450	2500	1.75		2	11.8	165
GP	TC1509S17			24MM	1750	2500	2.1		2.5	11.8	165
GP	TC1511S17			24MM	1450	2500	2.1		2.5	11.8	165
GP	TC1809S17			24MM	1450	2200	2.5		2.5	11.8	165
GP	TC1511S17			24MM	1750	2500	2.6		3.5	11.8	165
GP	TC1809S17			24MM	1750	2200	3.1		4	11.8	165
GP	TC1811S17			24MM	1450	2200	3.25		4.5	11.8	165
GP	TC1811S17			24MM	1750	2200	3.9		5.5	11.8	165
GP	TX1512S17			24MM	1450	3000	2.1		2.5	14	165
GP	TX1512S17			24MM	1750	3000	2.6		3	14	165
GP	TX1810S17			24MM	1450	2000	2.7		4	14	165
GP	TX1810S17			24MM	1750	2000	3.1		4.5	14	165
GP	TX1812S17			24MM	1450	2000	3.2		4.5	14	165
GP	TX1812S17			24MM	1750	2000	3.8		5.5	14	165
GP	EZ2536S			24MM	1750	2500	3.6		4.5	14	165
GP	EZ3040S			24MM	3400	3000	4		4.5	14	165
GP	EZ2542S			24MM	1750	2500	4.2		5.5	14	165
GP	EZ2545S			24MM	3400	2500	4.6		6	14	165
GP	EZ2555S			24MM	3400	2500	5.5		7	14	165
GP	T991			24MM	1450	1500	3.5		5.5	15.2	165
GP	T9951			24MM	1750	1500	3.5		5.5	15.2	165
GP	TT9351			24MM	3400	2500	3.5		4.5	15.2	165
GP	T991			24MM	1750	1100	4		7.5	15.2	165
GP	T9971			24MM	1750	2000	4		5.5	15.2	165
GP	TT9441			24MM	3400	2500	4.4		5.5	15.2	165
GP	TS1331			24MM	1450	2100	3.5		5	33.8	165
GP	TS1011			24MM	1450	2000	4		5.5	33.8	165



MFGR	MODEL	GAS	ELECTRIC	SOLID	RPM	PSI	GPM	UNL	SIZE	OZ	F
GP	T1011			24MM	1125	2000	4.5		6.5	33.8	165
GP	TS1011			24MM	1750	1500	4.75		8	33.8	165
GP	TS921			24MM	1450	1800	4.75		7	33.8	165
GP	T921			24MM	1050	1700	5		7.5	33.8	165
GP	T1011			24MM	1450	1500	5.6		9	33.8	165
GP	TS1711			24MM	1450	2700	3.5	4.5		40.6	165
GP	TS1511			24MM	1450	3500	4	4.5		40.6	165
GP	TS1021			24MM	1125	3000	4.5	5		40.6	165
GP	TS1321			24MM	1450	2100	4.75	6.5		40.6	165
GP	T1621			24MM	1050	2500	5	6.5		40.6	165
GP	T1321			24MM	1150	2100	5.5	7.6		40.6	165
GP	TS1021			24MM	1450	1700	5.6	8.5		40.6	165
GP	T9211			24MM	1750	3000	4	4.5		40.6	165
GP	TS2011			24MM	1450	3500	4	4.5		40.6	165
GP	TS2021			24MM	1125	3500	4.5	5		40.6	165
GP	TS1621			24MM	1450	2500	4.75	6		40.6	165
GP	TS2011			24MM	1750	2300	4.75	6.5		40.6	165
GP	T9281			24MM	1750	4000	4	4		40.6	165
GP	T5050			24MM	1845	5000	5	4.5		40.6	165
GP	TSF2019			24MM	1450	3600	6.3	6.5		31	165
GP	TSF2021			24MM	1450	3600	7	7.5		31	165
GP	TSF2019			24MM	1750	3600	7.6	8		31	165
GP	TSF2219			24MM	1450	3000	7.7	9		31	165
GP	TSF2021			24MM	1750	3600	8.5	9		31	165
GP	TSF2221			24MM	1450	3000	8.5	10		31	165
GP	TSF2219			24MM	1750	3000	9.3	10.5		31	165
GP	TSF2421			24MM	1450	2500	10	12.5		31	165
GP	TSF2221			24MM	1750	3000	10.2	12		31	165
GP	TSF2421			24MM	1750	2500	12	15		31	165
GP	TSP1621			24MM	1450	6000	4.3	3.5		31	165
GP	TSP1819			24MM	1450	5000	5	4.5		31	165
GP	TSP1821			24MM	1450	5000	5.5	5		31	165
GP	HTS2212S			24MM	950/1450	2300	3.2/4.75			40.6	185
GP	HTS2215S			24MM	50/1200	2300	4.0/5.0			40.6	185
GP	CW1012			35MM	750	1200	10		18	50.7	165
GP	CW1012			35MM	900	1000	12		24	50.7	165
GP	TS1531			35MM	1450	2175	7.92		11	50.7	165
GP	TS1041			35MM	1450	1600	8		12.5	50.7	165
GP	T41			35MM	650	900	12		25	50.7	165
GP	T4251			35MM	1000	5800	6.6	5.5		91	165
GP	T1551			35MM	1000	2175	14		19	91	165
GP	T61			35MM	650	1000	17		34	91	165
GP	T81			35MM	650	1000	21		42	91	165
GP	T2031			35MM	1140	3000	9		10.5	54	165
GP	T1631			35MM	1080	2500	10		12.5	54	165
GP	T2031			35MM	1450	2000	11		15.5	54	165
GP	T1591			35MM	1000	2175	28		38	71	165